

**NAME**

icalBuddyLocalization — documentation for the icalBuddy localization file

**SYNOPSIS**

The icalBuddy localization file should be saved in `~/icalBuddyLocalization.plist` and is thus per-user. The contents of this file are expected to be a valid property list, so it's recommended that you use the Property List Editor application distributed with the OS X Developer Tools to edit it. If you want to edit this file manually, please consult the *plist*(5) and *plutil*(1) man pages. The example at the end of this man page might also be of help.

**DESCRIPTION****Structure of the Localization File**

The root object of the localization file should be a dictionary. Keys in this dictionary should be localization string identifiers that uniquely identify specific strings that icalBuddy would like to display to the user (see below,) and the corresponding values should be the actual strings that will be displayed.

**General Considerations**

Some localization string identifiers require a specific substring to be present in their values, such as `%d` or `%@`, in order to specify the location of some variable, like a number or a string. See below for info on which identifiers have such requirements. If any localization string identifiers are missing in the localization file, icalBuddy will simply display the corresponding default strings, which will be in english.

**Available Localization String Identifiers**

The following localization string identifiers may be used:

<b>title</b>	The name of the “title” property of a calendar item (event or task.)
<b>notes</b>	The name of the “notes” property of a calendar item (event or task.)
<b>url</b>	The name of the “url” property of a calendar item (event or task.)
<b>location</b>	The name of the “location” property of an event.
<b>dueDate</b>	The name of the “due date” property of a task.
<b>noDueDate</b>	The words used to describe the lack of a due date for a task.
<b>priority</b>	The name of the “priority” property of a task.
<b>high</b>	The translation of the value “high” for the “priority” property of a task.
<b>medium</b>	The translation of the value “medium” for the “priority” property of a task.
<b>low</b>	The translation of the value “low” for the “priority” property of a task.
<b>noPriority</b>	The translation of the value “none” for the “priority” property of a task.
<b>priorityTitle</b>	The formatting of a task priority as a title (e.g. <code>%@ priority</code> ). Must include substring <code>%@</code> to specify the location of the priority value.
<b>priorityTitleNone</b>	The lack of a task priority as a title (e.g. <code>No priority</code> ).
<b>someonesBirthday</b>	The title for an event in the Birthdays calendar (e.g. <code>%@ 's Birthday</code> .) Must include substring <code>%@</code> to specify the location of the person's name.
<b>myBirthday</b>	The title for your own birthday event (e.g. “My Birthday”).
<b>today</b>	The translation of “today”.
<b>tomorrow</b>	The translation of “tomorrow”.
<b>yesterday</b>	The translation of “yesterday”.

**dayBeforeYesterday**

The translation of “day before yesterday”.

**dayAfterTomorrow**

The translation of “day after tomorrow”.

**xDaysAgo**

The translation of “%d days ago”, where %d is a number of days (the %d must be included to specify the location of this number.)

**xDaysFromNow**

The translation of “%d days from now”, where %d is a number of days (the %d must be included to specify the location of this number.)

**thisWeek**

The translation of “this week”.

**lastWeek**

The translation of “last week”.

**nextWeek**

The translation of “next week”.

**xWeeksAgo**

The translation of “%d weeks ago”, where %d is a number of weeks (the %d must be included to specify the location of this number.)

**xWeeksFromNow**

The translation of “%d weeks from now”, where %d is a number of weeks (the %d must be included to specify the location of this number.)

**dateTimeSeparator**

What to print between the date and the time (for example, in english: “ at ”.)

**noItems**

What to print under empty sections (i.e. dates, if separating by date and showing empty dates) (for example, in english: “Nothing.”)

**EXAMPLES**

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN" "http://www.apple.com/
<plist version="1.0">
<dict>
    <key>title</key>
    <string>title</string>
    <key>location</key>
    <string>location</string>
    <key>notes</key>
    <string>notes</string>
    <key>url</key>
    <string>url</string>
    <key>dueDate</key>
    <string>due</string>
    <key>noDueDate</key>
    <string>no due date</string>
    <key>priority</key>
    <string>priority</string>
    <key>someonesBirthday</key>
    <string>%@'s Birthday</string>
    <key>today</key>
    <string>today</string>
    <key>tomorrow</key>
    <string>tomorrow</string>
    <key>yesterday</key>
    <string>yesterday</string>
    <key>dayBeforeYesterday</key>
    <string>day before yesterday</string>
    <key>dayAfterTomorrow</key>
```

```
<string>day after tomorrow</string>
<key>xDaysAgo</key>
<string>%d days ago</string>
<key>xDaysFromNow</key>
<string>%d days from now</string>
<key>thisWeek</key>
<string>this week</string>
<key>lastWeek</key>
<string>last week</string>
<key>nextWeek</key>
<string>next week</string>
<key>xWeeksAgo</key>
<string>%d weeks ago</string>
<key>xWeeksFromNow</key>
<string>%d weeks from now</string>
<key>high</key>
<string>high</string>
<key>medium</key>
<string>medium</string>
<key>low</key>
<string>low</string>
<key>noPriority</key>
<string>none</string>
<key>priorityTitle</key>
<string>%@ priority</string>
<key>priorityTitleNone</key>
<string>No priority</string>
<key>dateTimeSeparator</key>
<string> at </string>
</dict>
</plist>
```

**SEE ALSO**

*icalBuddy* (1), *plist* (5), *plutil* (1), *icalBuddyConfig* (1)

**AUTHORS**

This man page has been written by Ali Rantakari (<http://hasseg.org>)