

NAME

icalBuddyLocalization — documentation for the icalBuddy localization file

SYNOPSIS

The icalBuddy localization file should be saved in `~/icalBuddyLocalization.plist` and is thus per-user. The contents of this file are expected to be a valid property list, so it's recommended that you use the Property List Editor application distributed with the OS X Developer Tools to edit it. If you want to edit this file manually, please consult the *plist*(5) and *plutil*(1) man pages. The example at the end of this man page might also be of help.

DESCRIPTION**Structure of the Localization File**

The root object of the localization file should be a dictionary. Keys in this dictionary should be localization string identifiers that uniquely identify specific strings that icalBuddy would like to display to the user (see below,) and the corresponding values should be the actual strings that will be displayed.

General Considerations

Some localization string identifiers require a specific substring to be present in their values, such as `%d` or `%@`, in order to specify the location of some variable, like a number or a string. See below for info on which identifiers have such requirements. If any localization string identifiers are missing in the localization file, icalBuddy will simply display the corresponding default strings, which will be in english.

Available Localization String Identifiers

The following localization string identifiers may be used:

title	The name of the “title” property of a calendar item (event or task.)
notes	The name of the “notes” property of a calendar item (event or task.)
url	The name of the “url” property of a calendar item (event or task.)
location	The name of the “location” property of an event.
dueDate	The name of the “due date” property of a task.
noDueDate	The words used to describe the lack of a due date for a task.
priority	The name of the “priority” property of a task.
high	The translation of the value “high” for the “priority” property of a task.
medium	The translation of the value “medium” for the “priority” property of a task.
low	The translation of the value “low” for the “priority” property of a task.
someonesBirthday	The title for an event in the Birthdays calendar (e.g. <code>%@’s Birthday</code> .) Must include substring <code>%@</code> to specify the location of the person’s name.
myBirthday	The title for your own birthday event (e.g. “My Birthday”).
today	The translation of “today”.
tomorrow	The translation of “tomorrow”.
yesterday	The translation of “yesterday”.
dayBeforeYesterday	The translation of “day before yesterday”.
dayAfterTomorrow	The translation of “day after tomorrow”.
xDaysAgo	The translation of “%d days ago”, where <code>%d</code> is a number of days (the <code>%d</code> must be included to specify the location of this number.)

xDaysFromNow	The translation of “%d days from now”, where %d is a number of days (the %d must be included to specify the location of this number.)
thisWeek	The translation of “this week”.
lastWeek	The translation of “last week”.
nextWeek	The translation of “next week”.
xWeeksAgo	The translation of “%d weeks ago”, where %d is a number of weeks (the %d must be included to specify the location of this number.)
xWeeksFromNow	The translation of “%d weeks from now”, where %d is a number of weeks (the %d must be included to specify the location of this number.)
dateTimeSeparator	What to print between the date and the time (for example, in english: “ at ”.)

EXAMPLES

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN" "http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<dict>
    <key>title</key>
    <string>title</string>
    <key>location</key>
    <string>location</string>
    <key>notes</key>
    <string>notes</string>
    <key>url</key>
    <string>url</string>
    <key>dueDate</key>
    <string>due</string>
    <key>noDueDate</key>
    <string>no due date</string>
    <key>priority</key>
    <string>priority</string>
    <key>someonesBirthdate</key>
    <string>%@’s Birthdate</string>
    <key>today</key>
    <string>today</string>
    <key>tomorrow</key>
    <string>tomorrow</string>
    <key>yesterday</key>
    <string>yesterday</string>
    <key>dayBeforeYesterday</key>
    <string>day before yesterday</string>
    <key>dayAfterTomorrow</key>
    <string>day after tomorrow</string>
    <key>xDaysAgo</key>
    <string>%d days ago</string>
    <key>xDaysFromNow</key>
    <string>%d days from now</string>
    <key>thisWeek</key>
    <string>this week</string>
    <key>lastWeek</key>
    <string>last week</string>
    <key>nextWeek</key>
```

```
<string>next week</string>
<key>xWeeksAgo</key>
<string>%d weeks ago</string>
<key>xWeeksFromNow</key>
<string>%d weeks from now</string>
<key>high</key>
<string>high</string>
<key>medium</key>
<string>medium</string>
<key>low</key>
<string>low</string>
<key>dateTimeSeparator</key>
<string> at </string>
</dict>
</plist>
```

SEE ALSO

icalBuddy (1), *plist* (5), *plutil* (1), *icalBuddyConfig* (1)

AUTHORS

This man page has been written by Ali Rantakari (<http://hasseg.org>)